

## HVG

5733 Huettner Dr  
Norman, OK 73069  
matt@uscpok.com  
(405) 615-4342  
Lic. #PAAA-EYIL-UYXI

## Sample: 2307HGL3800.15208

Strain: 500Topical ointment  
Date Received: 07/25/2023  
Date Sampled: 07/25/2023; Report Created: 07/27/2023  
Topical, Lotion  
Primary Sample Size: 10g

## 500Topical ointment

metrc Source Package#: 500Topical ointment  
metrc Package#:   
Harvest or Production Batch#: 500Topical ointment  
Lot#:



## Cannabinoids

Complete


Total THC: ND

Total CBD: 6.60 mg/g

Total Cannabinoids: 6.99 mg/g

Analyte	LOQ	Mass	Mass
	mg/g	mg/g	%
THCa	0.08	ND	ND
Δ9-THC	0.08	ND	ND
Δ8-THC	0.08	ND	ND
THCV	0.08	ND	ND
CBDa	0.08	ND	ND
CBD	0.08	6.60	0.660
CBDV	0.08	<LOQ	<LOQ
CBN	0.08	0.15	0.015
CBGa	0.08	ND	ND
CBG	0.08	0.10	0.010
CBC	0.08	0.14	0.014

■ CBC 
 ■ CBD 
 ■ CBG 
 ■ CBN



Date Tested: 07/27/2023

Analysis performed on Agilent Infinity II 1260 HPLC

Total THC = THCa \* 0.877 + d9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Abigail Burkhart*

Abigail Burkhart  
Laboratory Director

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01