



Certificate of Analysis
Compliance Test

Client Information:

SPACE GODS

2413 S BROADWAY
SANTA ANA, CA 92707

Batch # 0100
Batch Date: 2023-08-03
Extracted From: Hemp

Test Reg State: Florida

Order # SPA230815-060001
Order Date: 2023-08-15
Sample # AAEU011

Sampling Date: 2023-08-16
Lab Batch Date: 2023-08-16
Completion Date: 2023-08-21

Initial Gross Weight: 70.679 g

Number of Units: 2
Net Weight per Unit: 3000.000 mg



Potency
Tested

Product Image

**Delta 8/Delta 10 Potency 13 -
(LCUV) + Potency 25 (LCUV)**

Specimen Weight: 100.550 mg

| Analyte | Dilution (1:n) | LOD (%) | LOQ (%) | Result (mg/g) | (%) |
|-----------------------|----------------|---------|---------|---------------|---------|
| Delta-8 THC | 1000.000 | 2.60E-5 | 0.015 | 523.8000 | 52.3800 |
| Delta-8 THCV | 100.000 | 4.00E-5 | 0.015 | 11.5000 | 1.1500 |
| CBN | 10.000 | 1.40E-5 | 0.015 | 8.6000 | 0.8600 |
| CBNA | 10.000 | 9.50E-5 | 0.015 | 6.6800 | 0.6680 |
| CBDV | 10.000 | 6.50E-5 | 0.015 | 5.0800 | 0.5080 |
| Delta9-THCP * | 10.000 | 1.17E-5 | 0.012 | 3.7180 | 0.3718 |
| Delta8-THCP * | 10.000 | 3.75E-4 | 0.015 | 0.4260 | 0.0426 |
| CBC | 10.000 | 1.80E-5 | 0.015 | <LOQ | <LOQ |
| CBD | 10.000 | 5.40E-5 | 0.015 | <LOQ | <LOQ |
| CBDA | 10.000 | 1.00E-5 | 0.015 | <LOQ | <LOQ |
| CBG | 10.000 | 2.48E-4 | 0.015 | <LOQ | <LOQ |
| CBGA | 10.000 | 8.00E-5 | 0.015 | <LOQ | <LOQ |
| THCA-A | 10.000 | 3.20E-5 | 0.015 | <LOQ | <LOQ |
| THCV | 10.000 | 7.00E-6 | 0.015 | <LOQ | <LOQ |
| CBCA | 10.000 | 1.07E-4 | 0.015 | <LOQ | <LOQ |
| CBDVA | 10.000 | 1.40E-5 | 0.015 | <LOQ | <LOQ |
| CBL | 10.000 | 3.50E-5 | 0.015 | <LOQ | <LOQ |
| CBT | 10.000 | 2.00E-4 | 0.015 | <LOQ | <LOQ |
| Delta-8 THC-O Acetate | 10.000 | 2.70E-5 | 0.025 | <LOQ | <LOQ |
| Delta-9 THC | 10.000 | 1.30E-5 | 0.015 | <LOQ | <LOQ |
| Delta-9 THC-O Acetate | 10.000 | 7.70E-5 | 0.025 | <LOQ | <LOQ |
| Exo-THC | 10.000 | 2.30E-4 | 0.015 | <LOQ | <LOQ |
| THCVA | 10.000 | 4.70E-5 | 0.015 | <LOQ | <LOQ |
| Total Active CBD | 10.000 | | | <LOQ | <LOQ |
| Total Active THC | 10.000 | | | <LOQ | <LOQ |

SOP13.052,SOP13.002 (LCUV)

Tested

Potency Summary

| | | | |
|--|----------|--|------------|
| Total Delta 8 52.380% | 1571.4mg | Total Delta 10 0.401% | 12.03mg |
| Total Active THC None Detected | - | Total Active CBD None Detected | - |
| Total CBG None Detected | - | Total CBN 1.446% | 43.38mg |
| Other Cannabinoids 2.072% | 62.16mg | Total Cannabinoids 55.898% | 1676.947mg |

Summary Results determined from two distinct Potency Tests - Delta 8/Delta 10 Potency 13 - (LCUV) + Potency 25 (LCUV)

Aixia Sun Lab Director/Principal Scientist

D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THC = THC + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligram per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, , LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.